

# **FP 02**

**Hand Knife Sharpening Machine** 



# Efficient, timesaving and reliable

Perfectly designed for maximum user-friendliness





The FP02 is characterized by its compact design and outstanding performance. Double-sided grinding in a single operation guarantees high productivity and reliably ensures that knives are quickly ready for use again.

Its user-friendly handling and robust construction make the machine a reliable partner for meat packing plants and the fish processing industry. Wherever efficiency and smooth processes are crucial, it makes everyday work easier and saves valuable time.



### Grinding unit

The grinding process is based on two interlocking spiral grinding wheels. This ensures that the hand knives are always ground with the correct cutting edge angle. The double-sided arrangement of the spiral grinding wheels enables simultaneous grinding of both sides of the knives in a single pass.

#### Deburring and polishing unit

The polishing disk removes the burr created during grinding. It produces fine, polished surfaces and a burr-free, very smooth cutting edge. The peripheral speed and polishing disk resistance are optimally balanced. This compensates for handling errors.



# **Precision that remains**


No readjustment of the spiral grinding wheels





With the FP02, maximum user-friendliness and health protection are top priorities.

The suction nozzle on the machine allows the connection of a standard industrial vacuum cleaner. This ensures that the polishing dust is directly extracted and does not enter the environment. That protects the operator's respiratory tract.



- Polishing disk
- Spiral grinding wheels
- **Industrial vacuum cleaner**



### **FP 02**

### Technical specifications and space requirements\*

Depth

**■** Width

■ Height

■ Weight

■ Depth\*

■ Width\*

■ Power consumption

■ Back-up fuse

■ Emission sound pressure level according EN ISO 11201

345 mm 365 mm 260 mm

approx. 500 mm approx. 600 mm

approx. 22 kg

0.25 kW 1x 230 V 50 Hz

16 A

approx. 73 dB (A)

■ Max. hand knife size 550 mm

The machine meets the EC safety and health requirements and is provided with the CE-symbol. As at 2025.05 | Subject to technical modifications.

